

Technical information

Mechanical locks

Mechanical locking systems can be used in accordance with EN 1300 up to Class C. A decisive security criterion is the number of variants resulting from the number of different "pins" in the lock and cut-out sections of the beard. According to EN 1300 (VdS), the following variants are required for mechanical locking systems:

- Class A (1): 25,000 (80,000)
- Class B (2): 100,000 (200,000)
- Class C (3): 1,000,000,000 (1,000,000)


The number of theoretical variants, e.g. the 70011 Primus C, a lock with 13 different levers and 6 cutouts, is about 13 billion.

Keys

Double-bit key systems are characteristic of mechanical safe locks. They are available in die-cast, brass and high-strength brass as rigid, folding or detachable keys. However, for a large number of locking cycles, only brass or high-strength brass keys should be used.

Foldable or detachable keys are particularly suitable for safes with very thick doors, as these keys are easy to store. Foldable keys can be folded to about half their length. With detachable keys, the bit can be separated from the rest of the key for easy storage.

The key carrier systems offer an alternative for thicker doors. In addition to the functions of the keys, these systems offer additional security through their manipulation protection. After operation of the lock the carrier remains in the door without the removable bit part.



Mauer bow



Oval bow



Square bow




Rigid key



Foldable key




Detachable key



Servant K key carrier











Servant R key carrier



Key Blanks






Key blanks rigid

Sorted by length, key bow form and bit depth

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88882/0001	Keyblank for 78081 single bit key, die-cast, 50mm length, surface nickel-plated, 11,8mm bit depth, key bow square, key marked with "Rohling", 4mm Ø key stem, 4mm max. Ø key stem,	1 Piece
	88882/0004	Keyblank for 78081 single bit key, die-cast, 50mm length, surface nickel-plated, 11,8mm bit depth, key bow square, key marked with "Rohling", 4mm Ø key stem, 4mm max. Ø key stem,	1 Piece
	88886/0003	Keyblank for 78084;78086 single bit key, die-cast, 50mm length, surface nickel-plated, 11,8mm bit depth, key bow square, key marked with "Rohling", 4mm Ø key stem, 4mm max. Ø key stem,	1 Piece
	88887/0003	Keyblank for 78084;78086 double bit key, die-cast, 50mm length, surface nickel-plated, 11,8mm bit depth, key bow square, key marked with "Rohling", 4mm Ø key stem, 4mm max. Ø key stem,	1 Piece
	88855/0002	Keyblank for 78091 double bit key, die-cast, 55mm length, surface nickel-plated, 13,2mm bit depth, key bow Mauer, key marked with "Rohling", 5,3mm Ø key stem, 5,3mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88388/0002	Keyblank for 74086 double bit key, steel, 55mm length, surface nickel-plated, 13,5mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,9mm Ø bit drilling hole,	1 Piece
	88686/0011	Keyblank for 71031;71041;72011;72016; 72041;72046;72071;72081 double bit key, brass, 55mm length, surface nickel-plated, 14,2mm bit depth, key bow oval, key marked with "Rohling", 5,5mm Ø key stem, 5,5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88386/0002	Keyblank for 72041 double bit key, steel, 55mm length, surface nickel-plated, 15,8mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece









Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88387/0005	Keyblank for 72011;72016;72031;72041;72046;72081;73041;85072 double bit key, steel, 55mm length, surface nickel-plated, 14mm bit depth, key bow square, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88688/0002	Keyblank for 78053;78054;79072;79073;79079 double bit key, brass, 55mm length, surface nickel-plated, 15,5mm bit depth, key bow square, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88860/0001	Keyblank for 78054;78057;79071;79101 double bit key, die-cast, 55,5mm length, surface nickel-plated, 18,3mm bit depth, key bow Leicher, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88861/0002	Keyblank for 78053;78054;78056;78057;79071;79072;79073;79101;79106;79111 double bit key, die-cast, 55,5mm length, surface nickel-plated, 18,3mm bit depth, key bow Mauer, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88689/0001	Keyblank for 78054;78057;79071;79078 double bit key, brass, 55,5mm length, surface nickel-plated, 18,3mm bit depth, key bow square, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88841/0005	Keyblank for 6253/4 double bit key, die-cast, 60mm length, surface nickel-plated, 14,2mm bit depth, key bow Mauer, key marked with "Rohling", 5mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88842/0005	Keyblank for 74061;74066 double bit key, die-cast, 60mm length, surface nickel-plated, 14,2mm bit depth, key bow Mauer, key marked with "Rohling", 5mm Ø key stem, 6mm max. Ø key stem, 3,4mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88682/0001	Keyblank for 78051;78053;78054;79073; 81033 double bit key, brass, 60mm length, surface nickel-plated, 14,2mm bit depth, key bow oval, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88682/0003	Keyblank for 78051;78053;78054;79073;81033 double bit key, brass, 60mm length, surface nickel-plated, 14,2mm bit depth, key bow oval, key marked with customer name, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88683/0001	Keyblank for 78011 double bit key, brass, 60mm length, surface nickel-plated, 14,2mm bit depth, key bow oval, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,4mm Ø bit drilling hole,	1 Piece
	88381/0006	Keyblank for 74010 double bit key, steel, 60mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,85mm Ø bit drilling hole,	1 Piece
	88881/0013	Keyblank for 73081 double bit key, die-cast, 61mm length, surface nickel-plated, 11,4mm bit depth, key bow Mauer, key marked with "Rohling", 5,9mm Ø key stem, 5,9mm max. Ø key stem,	1 Piece
	88838/0002	Keyblank for 78011;79022;81033 double bit key, die-cast, 62,5mm length, surface nickel-plated, 12,1mm bit depth, key bow square, key marked with "Rohling", 5,1mm Ø key stem, 5,1mm max. Ø key stem, 3,4mm Ø bit drilling hole,	1 Piece
	88839/0003	Keyblank for 78051 double bit key, die-cast, 62,5mm length, surface nickel-plated, 14,1mm bit depth, key bow square, key marked with "Rohling", 5,1mm Ø key stem, 5,1mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88840/0002	Keyblank for 78053;78054;79073;79079 double bit key, die-cast, 62,5mm length, surface nickel-plated, 15,7mm bit depth, key bow square, key marked with "Rohling", 5,1mm Ø key stem, 5,1mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece









Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88844/0001	Keyblank for 73042;73043;74041;74043; 74046;74047 double bit key, die-cast, 65mm length, surface nickel-plated, 14,8mm bit depth, key bow Mauer, key marked with "Rohling", 5,9mm Ø key stem, 5,9mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88845/0002	Keyblank for 71111;71113 double bit key, die-cast, 65mm length, surface nickel-plated, 16,1mm bit depth, key bow Mauer, key marked with "Rohling", 5,8mm Ø key stem, 5,8mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88778/0002	Keyblank for OSTERTAG double bit key, steel, 65mm length, surface nickel-plated, 12mm bit depth, key bow oval, key marked with "Rohling", 5,9mm Ø key stem, 5,9mm max. Ø key stem, 3,7mm Ø bit drilling hole,	1 Piece
	88671/0001	Keyblank for 74031 double bit key, brass, 67,5mm length, surface nickel-plated, 17,5mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88671/0002	Keyblank for 74031 double bit key, brass, 67,5mm length, surface nickel-plated, 17,5mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88671/0003	Keyblank for 74031 double bit key, brass, 67,5mm length, surface nickel-plated, 17,5mm bit depth, key bow oval, key marked with customer name, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88771/0001	Keyblank for 6450;78051;78053;78054; 79071;79072;79073 double bit key, steel, 70mm length, surface nickel-plated, 9,5mm bit depth, key bow oval, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88674/0001	Keyblank for 72016;72041;72046;73042; 73043;74041;74043;74046;74047 double bit key, brass, 70mm length, surface nickel-plated, 15,2mm bit depth, key bow oval, key marked with "Rohling", 5,8mm Ø key stem, 5,8mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88675/0003	Keyblank for 73071;73073 double bit key, brass, 70mm length, surface nickel-plated, 18,7mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88670/0001	Keyblank for 70091;71111;71113;72096 double bit key, brass, 70mm length, surface nickel-plated, 19,8mm bit depth, key bow oval, key marked with "Rohling", 5,9mm Ø key stem, 5,9mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88835/0002	Keyblank for 81021 double bit key, die-cast, 71mm length, surface nickel-plated, 18,5mm bit depth, key bow Mauer, key marked with "Rohling", 5,8mm Ø key stem, 5,8mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88880/0001	Keyblank for 73081 double bit key, die-cast, 72mm length, surface nickel-plated, 13,9mm bit depth, key bow Mauer, key marked with "Rohling", 5,9mm Ø key stem, 5,9mm max. Ø key stem,	1 Piece
	88362/0001	Keyblank for 74031 double bit key, steel, 80mm length, surface nickel-plated, 14mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88513/0001	Keyblank for 70076;70079 double bit key, high-strength brass, 80mm length, surface nickel-plated, 23,1mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88656/0002	Keyblank for 77021-39 double bit key, brass, 85mm length, surface nickel-plated, 22,6mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 5,6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88825/0002	Keyblank for 78091 double bit key, die-cast, 90mm length, surface nickel-plated, 13,2mm bit depth, key bow Mauer, key marked with "'Rohling", 5,3mm Ø key stem, 5,3mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88827/0001	Keyblank for 71111;71113;73042;73043; 74041;74043;74046;74047 double bit key, die-cast, 90mm length, surface nickel-plated, 16,3mm bit depth, key bow Mauer, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88828/0001	Keyblank for 70091 double bit key, die-cast, 90mm length, surface nickel-plated, 18mm bit depth, key bow Mauer, key marked with "'Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88351/0001	Keyblank for 74031 double bit key, steel, 90mm length, surface nickel-plated, 14mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88824/0002	Keyblank for 71111;71113;73042;74041 double bit key, die-cast, 90mm length, surface nickel-plated, 16,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88655/0002	Keyblank for 70091;70161;70171;70172; 70173;70178;71061;71071;71111;71113; 74041;74043;74046;74047;82111;82161 double bit key, brass, 90mm length, surface nickel-plated, 18,9mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88349/0001	Keyblank for 85081-87 double bit key, steel, 92mm length, surface nickel-plated, 12mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,9mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88449/0001	Keyblank for 85082;85087 double bit key, steel, 92mm length, surface nickel-plated, 12mm bit depth, key bow oval, key marked with "Rohling", 5mm Ø key stem, 5mm max. Ø key stem, 3,4mm Ø bit drilling hole,	1 Piece
	88526/0007	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 double bit key, high-strength brass, 100mm length, surface nickel-plated, 18,6mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0009	Keyblank for 70011 double bit key, high-strength brass, 100mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88818/0001	Keyblank for 71111;71113;73042;73043; 74041;74043;74046;74047 double bit key, die-cast, 105mm length, surface nickel-plated, 16,3mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88627/0004	Keyblank for 6307/2 double bit key, brass, 115mm length, surface nickel-plated, 14,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88813/0003	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, die-cast, 120mm length, surface nickel-plated, 16,3mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88622/0001	Keyblank for 71111;71113 double bit key, brass, 120mm length, surface nickel-plated, 16,3mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88622/5101	Keyblank for 71111;71113 double bit key, brass, 120mm length, surface nickel-plated, 16,3mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88812/0012	Keyblank for 70076;70079;70087;70091; 70211;71081;71161;81031;82132;82133 double bit key, die-cast, 120mm length, surface nickel-plated, 24,5mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0001	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, high-strength brass, 120mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88809/0002	Keyblank for 78051;81033;81034 double bit key, die-cast, 126mm length, surface nickel-plated, 14mm bit depth, key bow square, key marked with "Rohling", 5,2mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/5101	Keyblank for 70091;70171;70172;70173; 70178;72096 double bit key, high-strength brass, 132mm length, surface nickel-plated, 18,5mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88611/0001	Keyblank for 70061;70072;70091;70171; 70172;70173;70178;71071;82111;82161 double bit key, brass, 135mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0001	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 double bit key, high-strength brass, 135mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88526/5103	Keyblank for 70091;70171;70172;70173; 70178;73071;73073 double bit key, high-strength brass, 135mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88604/0001	Keyblank for 71044;71070;71111;71113 double bit key, brass, 145mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88806/0001	Keyblank for 70091;71111;71113 double bit key, die-cast, 150mm length, surface nickel-plated, 18,1mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88805/0001	Keyblank for 70076;70079;70087;70211; 71161;82131;82132;82133 double bit key, die-cast, 150mm length, surface nickel-plated, 23,1mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0003	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with customer name, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0006	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 4,1mm Ø bit drilling hole,	1 Piece
	88511/0007	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88511/5101	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 6mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88602/0002	Keyblank for 70161;70171;70172;70173; 70178;77021;82111;82161 double bit key, high-strength brass, 150mm length, surface nickel-plated, 26,3mm bit depth, key bow oval, key marked with "Rohling", 5,8mm Ø key stem, 5,8mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579V0011	Keyblank for 70011 double bit key, high-strength brass, 150mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88601/0002	Keyblank for 70071;71111;71113 double bit key, brass, 160mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88601/0004	Keyblank for 70071;71111;71113 double bit key, brass, 160mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with customer name, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0002	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 160mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0029	Keyblank for 70091;70171;70172;70173; 70178 double bit key, high-strength brass, 160mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88511V0015	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 160mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0012	Keyblank for 70011 double bit key, high-strength brass, 160mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88807/0001	Keyblank for 71111;71113 double bit key, die-cast, 164mm length, surface nickel-plated, 16,2mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88802/0001	Keyblank for 70090;70091;71111;71113 double bit key, die-cast, 164mm length, surface nickel-plated, 18,1mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88801/0001	Keyblank for 70076;70079;70087;70211; 71161;82131;82132;82133 double bit key, die-cast, 164mm length, surface nickel-plated, 23,1mm bit depth, key bow Mauer, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0004	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 double bit key, high-strength brass, 165mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0040	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 165mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88579V0014	Keyblank for 70011 double bit key, high-strength brass, 165mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0008	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 170mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0084	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 170mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511V0016	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 175mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0048	Keyblank for 70011 double bit key, high-strength brass, 175mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88578/0024	Keyblank for 70021 double bit key, high-strength brass, 177,3mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked according customer specification, key marked with customer name, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0007	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 180mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88526V0005	Keyblank for 70091;70171;70172;70173; 70178 double bit key, high-strength brass, 180mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0054	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 180mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with customer name, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 4mm Ø bit drilling hole,	1 Piece
	88511/0058	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 180mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0011	Keyblank for 70011 double bit key, high-strength brass, 180mm length, surface nickel-plated, 32,2mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0006	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 185mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511V0012	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 185mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0001	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 190mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88511/0022	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 190mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541V0012	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 200mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511V0010	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 200mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0037	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 210mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0070	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 220mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0022	Keyblank for 70011 double bit key, high-strength brass, 220mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511V0025	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 235mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks




Key blanks rigid

Key blanks rigid	Bestellcode Key blank	Description	Unit
	88511V0022	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 240mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0038	Keyblank for 70011 double bit key, high-strength brass, 240mm length, surface nickel-plated, 32,2mm bit depth, key bow oval, key stem with one-sided pin, key marked with "Rohling", key bow with notch pointing to short bit, 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579V0012	Keyblank for 70011 double bit key, high-strength brass, 240mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0083	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 250mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0096	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, high-strength brass, 260mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0057	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, high-strength brass, 300mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511V0028	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, high-strength brass, 300mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks

Bit parts for key carrier








Sorted by length, key bow form and bit depth

Bit parts for key carrier	Bestellcode Key blank	Description	Unit
	88598/0002	Keyblank for 70076;70079;70087;70211 detachable double bit part for key carrier, 63mm length, surface nickel-plated, 24,2mm bit depth, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88599/0005	Keyblank for 70021 detachable double bit part for key carrier, 68mm length, surface nickel-plated, 26,1mm bit depth, key marked with "Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88589/0007	Keyblank for 70011;86124 detachable double bit part for key carrier, 71mm length, surface nickel-plated, 32,3mm bit depth, key marked with "Rohling", 5,65mm Ø key stem, 5,8mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks








Key blanks foldable keys

Sorted by length, key bow form and bit depth

Key blanks foldable keys	Bestellcode Key blank	Description	Unit
	88541/0010	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 120mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0009	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 double bit key, foldable, high-strength brass, 135mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0007	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 145mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0016	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 150mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0015	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 double bit key, foldable, high-strength brass, 150mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0019	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0024	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 160mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece








Key Blanks

Key blanks foldable keys

Key blanks foldable keys	Bestellcode Key blank	Description	Unit
	88511/0051	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 160mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0027	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 165mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0064	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 165mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0002	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 170mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0026	Keyblank for 70091;70171;70172;70173; 70178 double bit key, foldable, high-strength brass, 170mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511G0003	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, foldable, high-strength brass, 170mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0046	Keyblank for 71111;71113;74041;74043; 74046;74047 double bit key, foldable, high-strength brass, 175mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks




Key blanks foldable keys

Key blanks foldable keys	Bestellcode Key blank	Description	Unit
	88511/0059	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 175mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0013	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 180mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0039	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 180mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", key bow with notch pointing to short bit, 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511G0001	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 double bit key, foldable, high-strength brass, 180mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0012	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 double bit key, foldable, high-strength brass, 185mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0034	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 185mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0023	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 190mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks

Key blanks foldable keys






Key Blanks

Key blanks foldable keys	Bestellcode Key blank	Description	Unit
	88511/0094	Keyblank for 70021;70076;70079;70087;70091;70211;71081;71161;82132;82133 double bit key, foldable, high-strength brass, 200mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511G0009	Keyblank for 70076;70079;70087;70091;70211;82132;82133 double bit key, foldable, high-strength brass, 210mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0058	Keyblank for 71111;71113;74041;74043;74046;74047 double bit key, foldable, high-strength brass, 220mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks

Key blanks detachable bit parts










Sorted by length, key bow form and bit depth

	8854IU0001	Keyblank for 71111;71113;74041;74043; 74046;74047 Detachable system "A" (before 01.11.2008), detachable double bit part for detachable key, high- strength brass, 67mm length, surface nickel-plated, 17,2mm bit depth, 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	8851IU0001	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 Detachable system "A" (before 01.11.2008), detachable double bit part for detachable key, high- strength brass, 67mm length, surface nickel-plated, 26,3mm bit depth, 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	8854IU5001	Keyblank for 71111;71113;74041;74043; 74046;74047 Detachable system "B" (since 01.11.2008), detachable double bit part for detachable key, high- strength brass, 70mm length, surface nickel-plated, 17,2mm bit depth, 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	8851IU5001	Keyblank for 70076;70079;70087;70091; 70211;82132;82133 Detachable system "B" (since 01.11.2008), detachable double bit part for detachable key, high- strength brass, 70mm length, surface nickel-plated, 26,3mm bit depth, 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0002	Keyblank for 70011 Detachable system "A" (before 01.11.2008), detachable double bit part for detachable key, high- strength brass, 77mm length, surface nickel-plated, 32,3mm bit depth, 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0030	Keyblank for 70011 Detachable system "A" (before 01.11.2008), 90° rotated detachable mechanism, detachable double bit part for detachable key, high- strength brass, 82mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key stem with one-sided pin, key bow with notch pointing to short bit, 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks


Bow parts for detachable keys

Sorted by length, key bow form and bit depth

Bow parts for detachable keys	Bestellcode Key blank	Description	Unit
	88099/0070	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 70mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0094	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 94mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0113	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 113mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0120	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 120mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0124	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 124mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0130	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 130mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0130	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 130mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0139	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 139mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0140	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 140mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece

Key Blanks

Bow parts for detachable keys

Bow parts for detachable keys	Bestellcode Key blank	Description	Unit
	88099/0140	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 140mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0143	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 143mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88097/0150	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 150mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0150	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 150mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0150	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 150mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0153	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 153mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0154	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 154mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0160	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 160mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0163	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 163mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece



Key Blanks

Bow parts for detachable keys

Bow parts for detachable keys	Bestellcode Key blank	Description	Unit
	88099/0165	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 165mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88097/0168	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 168mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88097/0179	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), 90° rotated detachable mechanism, detachable bow part, high-strength brass, 178mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0179	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 179mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88097/0180	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 180mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0180	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 180mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0194	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 194mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0200	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 200mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0200	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 200mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece

Key Blanks





Bow parts for detachable keys

Bow parts for detachable keys	Bestellcode Key blank	Description	Unit
	88097/0203	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 203mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0209	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 209mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0213	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 213mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0214	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 214mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0230	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 230mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0230	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 230mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0250	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 250mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88099/0260	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 260mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0263	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 263mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece

Key Blanks

Bow parts for detachable keys







Key Blanks

Bow parts for detachable keys	Bestellcode Key blank	Description	Unit
	88099/0280	Detachable bow part except for 70011 Detachable system "B" (since 01.11.2008), detachable bow part, high-strength brass, 280mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88097/0300	Detachable bow part for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 300mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0300	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 300mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece
	88098/0330	Detachable bow part except for 70011 Detachable system "A" (before 01.11.2008), detachable bow part, high-strength brass, 330mm length, surface nickel-plated, key bow oval, 7mm Ø key stem, 7mm max. Ø key stem,	1 Piece

Key Blanks







Key blanks detachable keys

Sorted by length, key bow form and bit depth

Key blanks detachable keys	Bestellcode Key blank	Description	Unit
	88541/0014	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 145mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0003	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 150mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0004	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 150mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0033	Keyblank for 70011 Detachable system "A" (before 01.11.2008), double bit key, detachable, high-strength brass, 150mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "'Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0003	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 160mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0012	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 160mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece







Key Blanks

Key blanks detachable keys

Key blanks detachable keys	Bestellcode Key blank	Description	Unit
	88511/0038	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 160mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0025	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 165mm length, surface nickel-plated, 17,3mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0078	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 165mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0092	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 170mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0061	Keyblank for 71111;71113;74041;74043; 74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 180mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0017	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 180mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece



Key Blanks

Key blanks detachable keys

Key blanks detachable keys	Bestellcode Key blank	Description	Unit
	88541/0005	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 190mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88526/0011	Keyblank for 70061;70071;70091;70161; 70171;70172;70173;70178 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 200mm length, surface nickel-plated, 21mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0001	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 200mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0088	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "A" (before 01.11.2008), double bit key, detachable, high-strength brass, 200mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88579/0036	Keyblank for 70011 Detachable system "A" (before 01.11.2008), double bit key, detachable, high-strength brass, 200mm length, surface nickel-plated, 32,3mm bit depth, key bow oval, key marked with "'Rohling", 5,6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0006	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 230mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Key Blanks

Key blanks detachable keys

Key blanks detachable keys	Bestellcode Key blank	Description	Unit
	88511/0065	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 235mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0072	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 250mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88541/0011	Keyblank for 71070;71111;71113;74041; 74043;74046;74047 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 260mm length, surface nickel-plated, 17,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece
	88511/0052	Keyblank for 70021;70076;70079;70087; 70091;70211;71081;71161;82132;82133 Detachable system "B" (since 01.11.2008), double bit key, detachable, high-strength brass, 275mm length, surface nickel-plated, 26,2mm bit depth, key bow oval, key marked with "'Rohling", 6mm Ø key stem, 7mm max. Ø key stem, 3,6mm Ø bit drilling hole,	1 Piece

Additional keys

Additional keys	Bestellcode Key blank	Description	Unit
	1540999906	Novum 85074 steel, 7 levers, 150 mm	1 Piece
	1540999906	Novum 85074 steel, 7 levers, 150 mm	2 or more Pieces
	88010/0110	Post deposit (die-cast)	1 Piece
	88010/0110	Post deposit (die-cast)	2 or more Pieces
	88010/0210	Deposit (78/79)	1 Piece
	88010/0210	Deposit (78/79)	2 or more Pieces
	88010/1000	Safekey rigid 65 / 90 / 120 / 150 / 164 mm from unextended keyblanks	1 Piece
	88010/1000	Safekey rigid 65 / 90 / 120 / 150 / 164 mm from unextended keyblanks	2 or more Pieces
	88010/1100	Safekey extended <120 mm total key length	1 Piece
	88010/1100	Safekey extended <120 mm total key length	2 or more Pieces
	88010/1200	Safekey extended 120 - 220 mm total key length	1 Piece
	88010/1200	Safekey extended 120 - 220 mm total key length	2 or more Pieces
	88010/1300	Safekey foldable- or detachable mechanism < 120 mm	1 Piece
	88010/1300	Safekey foldable- or detachable mechanism < 120 mm	2 or more Pieces
	88010/1500	Safekey foldable- or detachable mechanism extended, 120 - 220 mm total key length	1 Piece
	88010/1500	Safekey foldable- or detachable mechanism extended, 120 - 220 mm total key length	2 or more Pieces
	88010/1700	Safekey detachable bit part	1 Piece
	88010/1700	Safekey detachable bit part	2 or more Pieces